


British Standard Fire Exits

The Safety Signs and Signals Regulations 1996

All fire exit signs on this page conform to the above, which requires all Safety, Health, Emergency Escape and Fire Equipment signs to include a pictorial symbol.

These fire exit signs comply to BS5499 Part 4 and 5, 2000. All employers must comply! It's the law! Signs marked with the following symbol  must be used in conjunction with the running man symbol.

All signs are available in 1mm rigid plastic, self adhesive vinyl or rigid plastic with self adhesive backing or complete with Bacto-Shield™



SA1 400 x 150
SA2 600 x 200



SA3 400 x 150
SA4 600 x 200



SA5 400 x 150
SA6 600 x 200



SA7 400 x 150
SA8 600 x 200



SA9 400 x 150
SA10 600 x 200



SA11 400 x 150
SA12 600 x 200



SA13 400 x 150
SA14 600 x 200



SA15 400 x 150
SA16 600 x 200



SA17 150 x 150
SA18 200 x 200



SA19 150 x 150
SA20 200 x 200



SA23 150 x 150
SA24 200 x 200



SA21 750 x 150



SA22 750 x 150



SA25 400 x 125
SA26 600 x 150



SA27 300 x 150
SA28 400 x 200



SA27L 300 x 150
SA28L 400 x 200



SA29 125 x 125
SA30 150 x 150
SA31 200 x 200



SA32 125 x 125
SA33 150 x 150
SA34 200 x 200



SA35 400 x 150
SA36 600 x 200



British Standard Fire Exits

The Safety Signs and Signals Regulations 1996

All fire exit signs on this page conform to the above, which requires all Safety, Health, Emergency Escape and Fire Equipment signs to include a pictorial symbol.

These fire exit signs comply to BS5499 Part 4 and 5, 2000. All employers must comply! It's the law! Signs marked with the following symbol * must be used in conjunction with the running man symbol.

All signs are available in 1mm rigid plastic, self adhesive vinyl or rigid plastic with self adhesive backing or complete with Bacto-Shield™



SA37 400 x 150
SA38 600 x 200



SA39 400 x 150
SA40 600 x 200



SA41 400 x 150
SA42 600 x 200



SA43 400 x 150
SA44 600 x 200



SA45 400 x 150
SA46 600 x 200



SA47 400 x 150
SA48 600 x 200



SA49 400 x 150
SA50 600 x 200



SA51 300 x 150
SA52 400 x 200



SA51L 300 x 150
SA52L 400 x 200



SA58 450 x 200
SA59 600 x 200



SA60 300 x 250
SA61 600 x 400



SA62 450 x 200
SA63 600 x 250



SA119 450 x 200
SA120 600 x 200

Fire Exits



SA130 200 x 300



SA131 200 x 300



SA132 200 x 300



SA133 200 x 300

Use these fire exit signs where space is at a premium. All these signs comply to BS 5499 (Part 4) 2000.

Fire Exits - Prestige



GOLD20 400 X 150
SAT20 400 X 150



GOLD21 400 X 125
SAT21 400 X 125



GOLD22 400 X 150
SAT22 400 X 150



GOLD23 400 X 150
SAT23 400 X 150



GOLD24 400 X 150
SAT24 400 X 150



GOLD25
75 X 150
SAT25
75 X 150



GOLD26
75 X 150
SAT26
75 X 150

Available in gold or brushed aluminium effect.

Fire Exits - Health & Technical Memorandum 65



HTM1 400 X 150
HTM2 600 X 200



HTM3 400 X 150
HTM4 600 X 200



HTM5 400 X 150
HTM6 600 X 200



HTM7 400 X 150
HTM8 600 X 200



HTM9 300 X 150
HTM10 400 X 200

These signs are designed to meet The Hospital Technical Memorandum 65 (Sign Guide 2), and enhance the original BS5499 pictograms with the addition of flames. Produced for hospitals and healthcare facilities. Those responsible for signing such establishments are strongly advised to use these signs where practical.

Fire Exits - Projecting



PRO6 400 x 600



PRO7 400 x 600



PRO8 200 x 200



PRO9 200 x 200



PRO10 200 x 200



PRO11 200 x 200

Fire Exits - Floor



FLO7 300 x 500



FLO10 300 x 500




FLO12 300 x 500
Photoluminescent Floor sign

Bring your message right onto the factory floor (literally). These floor signs give maximum impact to your safety policy. Placed directly onto the floor the aggressive adhesive and polycarbonate protective film will give ultimate durability. They should also remain visible under smoke out conditions occupying the gap between the floor and the smoke curtain. Use in conjunction with the surface preparation kit.

Fire Exits - Double Sided Signs

These signs comply to the British Standard BS5499. All signs on this page comply to the Safety Signs and Signals Regulations 1996.



HA8 600 x 450



HA12 600 x 200
HA14 1200 x 400
HA15 400 x 150



HA4 600 x 200
HA9 1200 x 400
HA17 400 x 150



HA5 600 x 200
HA16 400 x 150



HA6 600 x 200
HA10 1200 x 400
HA18 400 x 150



HA7 400 x 200
HA20 300 x 150

Aluminium Frames

SUSP5 400 x 150
SUSP6 600 x 200
SUSP7 200 x 300

Use with
double sided signs



Plastic Frames

SUSP2 600 x 200
SUSP4 400 x 150
(frame only)

Shown with sign for illustrative
purposes. For use with double sided
signs.

Fire Exits - Refuge Fire Exits

Use these signs to help comply to the DDA Regulations. Use to mark emergency escape routes and refuge points for all staff and visitors within your workplace.



RG1 400 X 150
RG7 600 X 200



RG2 400 X 150
RG8 600 X 200



RG3 400 X 150
RG9 600 X 200



RG6 400 X 150
RG10 600 X 200



RG4 200 X 300



RG5 200 X 300

A white rectangular sign with a black border. At the top is a green square with a white wheelchair icon. Below it is a green rectangular box with the text "Refuge action" in white. Underneath is a white box with black text: "In the event of a fire: This refuge affords fire and smoke protection for approximately [] minutes. The evacuation plan in operation within these premises ensures that assistance will arrive at this point within [] minutes." Below this is a blue box with a white exclamation mark icon and the text "Disabled persons should: 1. Remain calm. 2. Wait here until assistance arrives." At the bottom is a red box with a white prohibition sign (a circle with a diagonal line) and the text "1. Do not attempt to leave the building unassisted. 2. Do not leave this point even temporarily." The sign number "RG11 200 X 300" is at the bottom right.

RG11 200 X 300

Fire Exits - Clearview

Manufactured from 6mm clear cast acrylic, this range is the ultimate in contemporary signage. Graphics are reverse applied to give a smooth and practical glass like finish. Signs are available as a pre-drilled wall mounted sign as shown below or as a non-drilled projecting sign. Each sign comes complete with two chrome fixings. Please specify if you require a wall mounted or projecting sign.

Signs of this type can be manufactured to suit your own requirements, with any size and any quantity catered for. Contact our sales office for assistance



CL14 400 x 150



CL15 400 x 150



CL16 100 x 150



CL18 400 x 150



CL19 350 x 150



CL20 400 x 150

Fire Exits - Braille

Ensure you comply to Part III of the Disability Discrimination Act, regulations 1995 which came into effect, 1st October 2004.



TAC 21 400x120



TAC 22 400x120



TAC 23 400x120



TAC 24 400x120



TAC 25 300x120



TAC 26 400x120



TAC 27 400x120



TAC 28 300x120



Fire Exits - Photoluminescent

All our photoluminescent signs and products comply to: BS5499-1 and 'The Safety Signs and Signals Regulations 1996. GEMGLOW® is a PSPA Class A recognised product.



PH1 400 X 150
PH302 600 x 200



PH2 400 X 150
PH303 600 x 200



PH299 400 X 150
PH304 600 x 200



PH4 400 X 150
PH305 600 x 200



PH5 400 X 150
PH306 600 x 200



PH6 400 X 150
PH307 600 x 200



PH7 400 X 150
PH308 600 x 200



PH8 400 X 150
PH309 600 x 200




PH9A 300 X 150
PH310 400 x 200



PH9
150 X 150



PH10
150 X 150



PH12 300 X 100



PH13 400 X 125
PH14 600 X 150



PH116
150 X 150



PH117
150 X 150



PH17 400 X 150



PH18 400 X 150



PH19 400 X 150



PH20 400 X 150



PH21 400 X 150



PH22 400 X 150



PH23 400 X 150

Fire Exits - Photoluminescent




PH24 400 X 150



PH25 400 X 150




PH25L 400 X 150



PH311 450 x 200
PH312 600 x 200



PH266 400 X 150



PH267 400 X 150

Fire Exits - Photoluminescent

The signs below are designed to meet The Hospital wayfinding, and enhance the ISO 7010 pictograms with the addition of flames. Produced for hospitals and healthcare facilities. Those responsible for signing such establishments are strongly advised to use these signs where practical.



PHHTM1 400 X 150
PHHTM2 600 X 200



PHHTM3 400 X 150
PHHTM4 600 X 200



PHHTM5 400 X 150
PHHTM6 600 X 200



PHHTM7 400 X 150
PHHTM8 600 X 200



PHHTM9 300 X 150
PHHTM10 400 X 200

Use these signs to help comply to the DDA Regulations.
Use to mark emergency escape routes and refuge points for all staff and visitors within your workplace.



PHRG1 400 X 150
PHRG7 600 X 200



PHRG2 400 X 150
PHRG8 600 X 200




PHRG3 400 X 150
PHRG9 600 X 200



PHRG6 400 X 150
PHRG10 600 X 200



PHRG4 200 X 300



PHRG5 200 X 300

PHRG11 200 X 300

Fire Exits - Emergency Lighting

BUDGET LIGHTING



MAINTAINED

LU1M 355 x 125

Provides 3hrs of emergency light in the event of mains failure. 8w

These are heavy duty vandal resistant luminaires c/w an opal acrylic cover and die cast aluminium base.

Whether complimenting existing schemes or starting from afresh, our range of luminaires offer a cost effective answer to every situation. Supplied in both maintained and non-maintained formats.


EMERGENCY WAYFINDING LIGHTBOX



MAINTAINED

LU2M 390 x 190

Illuminated when mains lighting is turned on and provides 3hrs of emergency light in the event of mains failure. 8w



COV 4 590 x 115

These legends can be purchased to go with the above product.



COV 5 (British standard design) 460 x 120

REPLAC1

Price Band A (fascia size) 300 x 100 to 400 x 100

REPLAC2

Price Band B (fascia size) 400 x 100 to 450 x 250

REPLAC3

Price Band C (fascia size) 450 x 250 to 600 x 300



Fire Exits - Emergency Lighting

FLUSH CEILING MOUNTED EMERGENCY LIGHTBOX

Recessed edge-lit in white finish. Supplied with double sided screen printed legend panel. Requires a 50mm depth above ceiling tile or plasterboard and is fixed with 2 spring clips into a 330 x 135mm cut out.

3 HOUR MAINTAINED

LU3M 280 x 130

Sign is permanently illuminated and has a 3 hour battery back up in case of mains failure.

Choose your required legend to go with the product shown.



3 HOUR MAINTAINED

LU4M 280 x 130

Sign is permanently illuminated and has a 3 hour battery back-up in case of mains failure.

Choose your required legend to go with the product shown.



CEILING MOUNTED EMERGENCY LIGHTBOX

Ceiling mounted edge-lit in white finish. Supplied with double sided screen printed legend panel with diamond polished edges. Fixed direct to ceiling the overall size is 290 x 440mm.



3 HOUR MAINTAINED

LUM22

This classic style adds a prestige finish to your premises.

Available in Brass or Chrome finish
Please specify when ordering



MAINTAINED

LUM26

Non-maintained emergency light source with top or side mounted multi-directional lamps. Ideal for factories and warehouses.

Fire Exits - Assembly Points



SA53 300 x 200
SA54 600 x 400
SA54A 600 x 400
(3mm Aluminium, plate only)
SA54AC 600 x 400
(3mm Aluminium, with channel
for post mounting)



SA55 300 x 200
SA56 600 x 400
Please specify the number or
letter you require when ordering.



SA114 600 x 400



SA54B 600 x 400
(3mm Aluminium, plate only)
SA54BC 600 x 400
(3mm Aluminium, with channel
for post mounting)